

## Product Description

Blade is featured with ultra-thin and small body, which can be perfectly applied in showcase or display areas. Adoption with LED of popular commercial color point, it helps to provide crisper whites and more vivid color. Optical design with Fresnel lens provides uniform and collimated illumination. Purealuminum housing and heatsink forms a good thermal system to guarantee high lumen maintenance and long lifespan.

## Model No. NDS0306-C

CONTACT US FOR MORE DETAILS




## Product Specification

Luminaire Wattage	6W
Luminaire Color	□ White ■ Black
Light Source	Philips 1201
Color Temperature	2700K/3000K/3500K/4000K
Color Rendering Index	Ra≥90
Beam Angle	20°\38°
Luminous Flux	440lm/3000K
cut-out	Ø85mm
Driver	LD6W150
Power Factor ( PF )	≥0.5
Input	AC100-240V
Output	DC 250mA 30-42V
Class	Class I
IP Degree	IP20
Inner Box	12X12X7cm
Carton Size	50X26X23cm
QTY/CTN	24PCS/CTN
Net Weight	0.09KG/PCS



## Light Distribution



## Related references Optional Accessories



NDB0111 /6W  
Size: 33x3



NDB0111 /6W  
Honey comb Size: 30 x 3



NDB0211 /9W  
Cup Size: 48 x 15



NDB0211 /9W  
Honey comb Size: 40 x 3

## Related references LED POWER SUPPLIES



Constant current power supply

Triac

0-10V

Dali

---

Related project picture of product family:

