

Product Description

Metis series luminaire designed with simple and elegant design concept, together with heatsink made by pure aluminum forging, perfectly embody its stability feature under gentle appearance. 38 degree cut-off angle and concave LED module are used to be anti-glare and achieve uniform light. Carefully designed heatsink can achieve the stabilizing effect for convection conduction, which is to ensure the long lifespan of LED and stability of light output. Simple structure design can enable designers or customers to replace the optional high efficiency reflectors of different angles, in order to meet different lighting requirements.


Product Specification

Luminaire Wattage	40W
Luminaire Color	<input type="checkbox"/> White <input checked="" type="checkbox"/> Black
Light Source	Lumileds 1204HD
Color Temperature	2700K/3000K/4000K
Color Rendering Index	Ra \geq 90
Beam Angle	15°/24°/38°
Luminous Flux	3000lm at 3000K
cut-out	Ø118mm
Driver	LS-40-900 LI2
Power Factor (PF)	\geq 0.9
Input	AC220-240V 50-60Hz
Output	DC 900mA 30-42V
Class	Class II
IP Degree	IP20
Inner Box	14.5X14.5X18cm
Carton Size	46X31X38cm
QTY/CTN	12PCS/CTN
Net Weight	0.64KG/PCS

Model No.

DSB0240-C

CONTACT US FOR MORE DETAILS



Related references
Optional Accessories



Related references
LED POWER SUPPLIES



Constant current power supply

Triac

0-10V

Dali

Related project picture of product family:

